

Classroom Photocopying Permission

Chapters from Teaching General Chemistry: A Materials Science Companion.
Copyright © 1993 American Chemical Society. All Rights Reserved.
For reproduction of each chapter for classroom use, contact the American
Chemical Society or report your copying to the Copyright Clearance Center, Inc.,
222 Rosewood Drive, Danvers, MA 01923.

Experiments from Teaching General Chemistry: A Materials Science Companion. Copyright © 1993 American Chemical Society. All Rights Reserved. Multiple copies of the experiments may be made for classroom use only, provided that the following credit line is retained on each copy: "Reproduced with permission from *Teaching General Chemistry: A Materials Science Companion*." You may edit the experiments for your particular school or class and make photocopies of the edited experiments, provided that you use the following credit line: "Adapted with permission from *Teaching General Chemistry: A Materials Science Companion*."

Overhead Masters

Multiple copies of the overhead masters may be made for classroom use only, provided that the extant credit lines are retained on each copy: "© 1993 American Chemical Society. Reproduced with permission from *Teaching General Chemistry: A Materials Science Companion*" or "© 1995 by the Division of Chemical Education, Inc., American Chemical Society. Reproduced with permission from *Solid-State Resources*."

Laboratory Safety

DISCLAIMER

Safety information is included in each chapter of the Companion as a precaution to the readers. Although the materials, safety information, and procedures contained in this book are believed to be reliable, they should serve only as a starting point for laboratory practices. They do not purport to specify minimal legal standards or to represent the policy of the American Chemical Society. No warranty, guarantee, or representation is made by the American Chemical Society, the authors, or the editors as to the accuracy or specificity of the information contained herein, and the American Chemical Society, the authors, and the editors assume no responsibility in connection therewith. The added safety information is intended to provide basic guidelines for safe practices. Therefore, it cannot be assumed that necessary warnings or additional information and measures may not be required. Users of this book and the procedures contained herein should consult the primary literature and other sources of safe laboratory practices for more exhaustive information. See page xxv in the Text 0 Preface file in the Companion Text folder for more information.

Index

Numbers in **boldface type** refer to Experiments 1 through 15. The word "demo" after an entry refers to demonstrations, the word "lab" refers to suggested laboratory activities.

A

Absorbance, definition, 419
Absorption of light, **419–422**
Absorption spectra of F-centers, 180*f*
Acceptor, description, 473
Acid(s)
 deep donor analogy, 252
 definition, 251
Acid–base chemistry, review articles, 500
Aerogels, formation, **467f**
AFM (atomic force microscope), 23, 473
Age of materials, 1, 329
Alcogels, **464–465, 467f**
 $\text{Al}_x\text{Ga}_{1-x}\text{As}$ solid solutions, band gap
 versus composition, 218, 220*f*
Alkali halides
 absorption spectra from F-center, 180
 band gap, 228*t*
 effect of vacancy size on absorption
 energy, 180–181
 F-center absorption decay, 181, 182*f*
 preparation of solid solutions, 181
 Schottky defects, 175
Alkali metals
 body-centered cubic structure, 56
 nondirectional bonding, 189
Alkaline earth metals
 electrical conductivity, 193
 nondirectional bonding, 189
Allotropes, definition, 121
Alloy(s)
 definition, 473
 hardening, 170–174
Alpha particles, detection by polymers, 12

Alpha radiation, effect on plastic, **396**
Alpha-track method, radon testing, **395**
Alum
 preparation, **373**
 single-crystal growth, **372**
Alum–chrome alum solid solutions,
 preparation, **369**
Alum structure, solid solutions, **369–376**
-Alumina, ion exchange, 346
Aluminosilicate sheets, formula, 132
Aluminum
 amphoteric character, 119
 as dopant, 245, 246, 247*f*, 252
 crystal structure, 331
 deformability, 157
 face-centered cubic structure, 56
 molar heat capacity versus
 temperature, 25*f*
 packing, 98
 recycling, **374**
Aluminum-doped silicon, neutralization
 reaction, 255
Amethyst, origin of color, 176–177
Ammonia, autoionization, 251
Amphibole(s)
 definition, 473
 structure, 132
Analytical methods, role of materials
 science, 8–9
Analytical miniaturization, 9
Anisotropy, definition, 473
Annealing, 167, 169(demo), 172(demo),
 173(demo), 473
Antifluorite (Li_2O) structure, 117, 118*f*, 145,
 473

Aqueous solutions

analogy to semiconductors, 269
in synthesis of solids, 336–337

Arsenic as dopant, 245

Arthroscopic surgery, use of memory metals, 301

Asbestos mineral, crocidolite, 132

Atom(s)

direct evidence, 15–23
indirect evidence, 24–27
positioning by STM, 22
Atomic composition, relation to heat capacity, 353

Atomic force microscope (AFM), 23, 473

Atomic gridlock, hardening of metals, 167

Atomic hole puncher, STM, 8

Atomic hydrogen, role in diamond formation, 341

Atomic motion, 164, 166(demo)

Atomic structure and periodic properties, review articles, 499

Atomic surface topography, sampling, 16

Atomic tip, 16, 17f

Atomic vibration, illustration, 355f

AuAl_2

purple plague, 119
synthesis and reactivity, 147

Austenite

CsCl structure, 283–285
definition, 281
description, 474
iron allotrope, 170–171
 NiTi phase, 425
pressure-induced transformation, 292f
projection, 287, 288f
transformation to martensite, 284–288, 296f

Autoionization, silicon, 241

Autoionization equilibrium, water versus semiconductors, 244f

Autoionization equilibrium constant
effect of temperature, 244
semiconductors, 243t

Automatic transmissions, use of NiTi memory metal, 298, 299f

Automobile bumpers, use of memory metals, 300

Automobile clutches, use of electro-rheological fluids, 41, 43f

Automobile shock absorbers, use of electrorheological fluids, 41, 43f

AZ solids isoelectronic with Group 14 solids, periodic properties, 215, 216f, 217f

B

Balance used to observe weight change of magnets, 30f

Band(s)

definition, 187, 188f, 474
formation, 188
in metals, 188–205

Band gap

alkali halide salts, 228t
definition, 209, 474
diamond, 211
effect of electronegativity difference between atoms, 408
effect of temperature, 224
factors, 211
germanium, 213
group 14 solids with diamond structure, 211
insulator, 210
semiconductor, 210
silicon, 212
sodium chloride, 227
-tin, 213
tunable, 218–226

Band gap energy

definition, 406
estimation, 409
relation to color, 217f, 218
relation to composition, 409

Band structure, sodium and magnesium, 189f

Band width, definition, 209

Barium, carrier for radium, 62

Barium sulfate, molar heat capacity, 25

Base, definition, 251

Bednorz, Georg

Nobel prize, 432
use of ceramics in superconductivity studies, 302

Beer–Lambert law, equation, 265, 267, 419

Berthollide compounds

definition, 474
nonstoichiometric compounds, 63, 480

Beryl, cyclic silicate, 130, 131f

Beryllium, vibrational frequencies, 24

Biassing

definition, 261, 474
light-emitting diode, 263(demo)
p–n junction, 261–269

Biological molecules, study by STM, 21, 22f

Biotite

formula, 132
structure, 134f

X-ray powder diffraction pattern, **388f**
Body-centered cubic (bcc) cell, definition, **474**
Body-centered cubic packing
description, **102–103**
elements exhibiting structure, **144**
examples, **56, 57f**
packing efficiency, **103, 171**
projection, **87, 88f**
unit cell and nearest neighbors, **56f, 103f**
Bohr radius, definition, **246, 248, 474**
Bonding
in metals, **191f**
review articles, **499**
Bragg diffraction
comparison with Fraunhofer diffraction, **80, 81f, 380f**
condition for constructive interference, **80**
Bragg equation, **380f, 385, 391**
Bragg, Sir Lawrence, **79, 99**
Bragg's law, **80**
Brass, solid solution, **59**
Bronze, formation, **170**
Bubble raft
construction, **141**
hexagonal packing, **99**
modeling of metal atoms, **100**
pattern, **101f**
set up, **99f**
Buckminsterfullerene
description, **474**
packing, **126**
proposed uses, **10–11**
Buffers, semiconductors, **255–257**
Bulk extended solid, electronic structure, **187, 188f**

C

C₆₀, superconductivity, **312–313**
Cadmium chloride, fractional filling of octahedral holes, **114**
Cadmium chloride structure, **115f**
Cadmium iodide structure, **114, 116f, 147**
Cadmium sulfide, photoconductivity, **214(demo)**
Calcium fluoride, molar heat capacity, **25**
Calcium oxide, molar heat capacity, **25**
Calcium oxide-doped ZrO₂, oxygen sensor, **269–270**
Calcium titanate, **58**
Calculations, stoichiometry, **49**
Carbon, vibrational frequencies, **24**
Carrier(s)
definition, **238**
majority versus minority, **252**
Carrier concentration
definition, **192, 474**
effect of temperature, **244**
insulators, **211**
semiconductors, **211**
Catalysis and kinetics, review articles, **500**
Catalytic converter
cutaway view, **13f**
principle, **269–270**
use, **12**
Ceramics
critical temperature, **312t**
sol-gel process, **468**
superconductivity, **302–303**
thermal conductivities, **212**
Cesium chloride structure, **111–112, 144, 283–285, 474**
Charge compensation, **176**
Chemical equilibria, prediction of shifts, **319–321**
Chemical vapor deposition (CVD)
description, **475**
preparation of p-n junction, **260**
use in control of interfaces, **9–10**
use in solid-state synthesis, **340**
Chemical vapor methods, use in solid-state synthesis, **338–345**
Chemical vapor transport, **339**
Chemie douce, **345–347**
Chemists, role in creation of materials and devices, **155**
China clay, layered structures, **133**
Chrome alum
preparation, **374**
single-crystal growth, **373**
Chromium, body-centered cubic structure, **56**
Chu, Paul, superconducting oxides, **303**
Circuit, LED socket, **409f**
Citizen's Guide to Radon, **396**
Cladding, in optical fibers, **342, 343f**
Clapeyron equation, **291**
Clays
chemical reactions, **346f**
layered structures, **133**
Cleavage planes of crystals, **367f**
Close packing
array of atoms, **88f, 92**
demonstrations, **100–101(demo)**
interstices, **105(demo)**
of anions, **121t**

of spheres, **364f**
 packing efficiency, 99
 sketch, **98f**

CoAl
 preparation, 331
 synthesis, 332(demo), **333f**

Coatings, role in interface control, 10

Cobalt
 effect on NiTi memory metal, 297
 use in ferrofluids, 36

Colloids and surfaces, review articles, 503–504

Color
 relation to band-gap energy, **217f**, 218
 relation to wavelength, **410t**

Commercial suppliers, 487–496

Compensation process, semiconductors, 256, **257f**

Compensation temperature
 effect of temperature, **460**
 magnetic garnets, **456t**

Compound semiconductors
 dopants, 250
See also Semiconductors

Compounds with variable stoichiometry
 physical properties, 64–65
 types, 63, **64t**

Compression, **291f**

Compressive stress, 291

Computer disks, use of ferromagnetic materials, 32

Concentration cells, 257–271

Condensation, mechanisms, **471–472**

Conductance, definition, 475

Conducting polymers, description, 475

Conduction band
 definition, 475
 formation in diamond, 207, **208f**, **209f**

Conductive interference, definition, 475

Conductivity
 and hole energies, 240(demo)
 apparatus, 196f, **417f**, **444f**
 effect of doping, 251–252
 localized bonding picture, 237, **238f**
 measurement apparatus, 318f
 units, 196
See also Electrical conductivity

Conductivity changes, 318(demo)

Conductivity experiments, commercial supplier, 493

Conductors, ionic compounds, 176, **177f**

Conservation of energy, **356**

Constructive interference, **79f**, 80, **379f**, **380f**

Cooling curves, water, 201(lab)

Cooper pairs, 309, 310, 475

Cooperative behavior in solids, ferromagnetism, 30

Coordination number
 body-centered cubic packing, 103
 definition, 99
 for various packing types, 106t
 hexagonal close packing, 103
 simple cubic packing, 102

Copper
 basis of color, 204–205
 deformability, 157
 dopant in silicon, 252
 face-centered cubic structure, 56
 molar heat capacity versus temperature, **25f**
 packing, 98
 solvent for synthesis, 338
 X-ray source, **392**

Copper–aluminum, shape-memory alloy, **425**

Copper–aluminum–nickel, shape-memory alloy, **425**

Copper(I) compounds, stability, **446**

Copper-containing oxides, superconductivity, **432**

Copper(I) iodide, **446**

Copper mercury iodide
 conductivity changes, 318(demo)
 ionic conductor, 315
 order–disorder phase change, 317(demo)
 structure and phase change, 315, 316–317
 synthesis and properties, 319(lab)
See also Cu₂HgI₄

Copper(I) tetraiodomercurate(II), *See* Cu₂HgI₄

Corner-shared atoms in simple cubic unit cell, 55–56

Counterintuitive property of memory metals, 282

Covalent extended solids, directional bonding, 123

Covalent insulators, 206–226

Covalent semiconductors, 206–226

Covalent solids, 123–126, 156

CR-39, poly[ethylene glycol bis(allyl carbonate)], use in radon testing, **397**

Cristobalite, structure, **138f**

Critical current (J_c), definition, 475

Critical current density, definition, 303

Critical field (H_c), definition, 475

Critical temperature (T_c), definition, 301, 475

Crocidolite, asbestos mineral, 132

Cross-linking, effect on silicate polymer properties, 463

Crystal habits, 143

Crystalline defects, 160–162, 176

Crystalline materials

- examples, 363
- extended structure, 363

Crystalline solid(s)

- definition, 475
- electronic structure, 187–235

Crystalline structures, 97–153

Crystallographic planes of a layered solid, measurement of spacing, 390

Crystals, preparation, 347–350

CuAl_2 , formation, 170

Cu_2HgI_4

- crystal structures, 444
- determination of transition temperature, 443
- electrical conductivity, 443–444
- low-temperature form, 442f
- phase transition, 439–445
- preparation, 271(lab), 337, 441–443, 439–445
- thermochromicity, 441

See also Copper mercury iodide

Cu_3TaSe_4 , preparation by chemical vapor transport, 339

Cube(s), model for extended structures, 110–111(demo), 363

Cubic close packing,

- description, 475
- elements exhibiting structure, 144
- representation as face-centered cube, 107f
- stacking pattern, 104, 106f
- versus hexagonal close packing, 366

Cubic crystals, 110(demo)

Cubic holes, 111–113, 475

Cupronickel, solid solution, 62

Curie point, 34–35(demo)

Curie temperature

- definition, 476
- ferromagnets, 33t

Current induction, 306f

Cyclic silicates, 130, 131f

Czochralski crystal growth, 349–350, 476

D

De Broglie wavelength, definition, 476

Deep acceptor, weak acid analogy, 252

Deep donor, weak base analogy, 252

Defects

- in crystals, 160–162, 176
- in ionic compounds, 174–176
- in metals, 156–174
- in solids, 155–186
- spectroscopy, 176–183

Deformation, 156

Deformation stress, 159–160

Delocalized bonding

- doping, 245–246, 247f
- electron–hole recombination, 242
- semiconductors, 238f

Density, review articles, 497

Deschamps, Olivier, sculptor using memory metal, 300

Destructive interference, 79f, 379f, 380f, 476

Diamagnetism, definition, 476

Diamond

- band gap, 211
- density, 367
- films, 10
- formation from graphite, 280
- hardness, 214(demo)
- industrial applications, 10
- low-pressure synthesis, 341
- molar heat capacity versus temperature, 25f
- molecular orbital treatment, 207–209
- optical properties, 211
- packing efficiency, 405
- properties, 10
- structure, 123, 406, 407f
- thermal conductivity, 212
- valence and conduction bands, 207, 208f
- versus graphite, 367

Diamond structure

- elements exhibiting structure, 144
- insulators and semiconductors, 209–215
- projection, 87, 88f

Dielectric constant

- definition, 248, 476
- silicon, 248

Diffraction

- definition, 476
- indirect evidence for the existence of atoms, 15
- of waves, 379
- principles, 77–81

Diffraction data, use in determination of structure, 77–96

Diffraction gratings, commercial supplier, 496

Diffraction patterns

- evidence for repeating arrangement in crystals, 80
- generation with laser, 383f
- relation to repeating dot array, 379–383
- simulation, 83f, 89f

Diffusion

- importance, 449
- in solids, liquids, and gases, 447–453
- relative rates, 330(lab)
- synthesis of solids, 330–334

Dimensionality, defects in crystals, 160–161

Diode laser(s)

- description, 476
- operation, 260
- preparation from p–n junction, 264
- schematic, 264f
- use of tunable band gaps, 219–220
- uses, 11

Diode light sources, smart material, 11

Diopside, linear silicate, 131

Dipole moment, mechanical induction, 43, 44f

Direct band gap materials, 219

Directional bonding, covalent extended solids, 123

Dislocation

- and plastic deformation, 162–164
- definition, 476
- demonstration, 165(demo)
- description, 161–162
- effect of impurities on movement, 170
- in crystals, 161f
- model for movement and pinning of dislocations, 167, 168f
- motion, 163f
- pinning, 167
- plastic deformation, 174
- within grains, 165

Disordered solid solutions, 59, 60(demo), 61–62

Domain, definition, 476

Donor atom

- description, 476
- effect of adding phosphorus to silicon crystals, 247f

Dopant(s)

- arsenic, 245
- classification, 251
- compound semiconductors, 250
- definition, 245, 477

impurity atoms, 245

in light-emitting diodes, 222

ionization energies, 246, 248–250

phosphorus, 245

shallow dopants, 251

sources, 245

Doped semiconductors, energy levels in band-structure diagram, 249, 250f

Doped silicon, conductivity, 251–252

Doping

- effects, 245, 251–252, 257f
- electron donors and acceptors, 245–246
- illustration, 247f
- localized bonding model, 245

Ductility

- definition, 477
- demonstration, 159(demo)
- metals, 98, 156

Dulong and Petit laws, 24

E

Edge dislocation, 161f, 162f

Electrical conductivity

- alkaline earth metals, 193
- carrier concentration, 192
- change with intercalation, 416
- definition, 477
- effect of temperature, 196
- enhancement, 193, 196(lab)
- laboratory procedure, 416
- metals, 98, 191–199
- periodic trends, 406–407
- requirements, 192
- scale, 196, 197f
- sodium, 193
- tungsten trioxide, 413
- See also* Conductivity

Electrical power transmission by superconductors, 314

Electrical properties, effect of variable stoichiometry, 65

Electrical resistance

- analogy to mechanical friction, 198
- change with temperature, 404–405
- definition, 411
- demonstration, 198–199(demo)
- measuring instrument, 411
- metals, 196–199, 411
- relation to temperature, 404
- semiconductors, 411
- superconductors, 437
- temperature dependence, 199(demo)
- See also* Electrical resistivity

Electrical resistivity

definition, 196
effect of temperature, 196, 198, 199(demo), 210–211
metals and semiconductors, 197f
See also Electrical resistance

Electrically insulating materials, 23

Electro-optical devices, use of tunable band gaps, 219–221

Electrochemical cell, graphic illustration, 259f

Electrochemical etching process, preparation of STM tips, 19

Electrochemistry, review articles, 501

Electrochromic displays, tungsten trioxide, 415

Electrode surfaces, study by STM, 21, 22f

Electromagnetic radiation, 77–78

Electromagnets
principle, 305
use of superconductors, 313

Electron energies versus hole energies, 240

Electron flow in a band, 193(demo)

Electron–hole recombination
energy release, 244
process, 242

Electron pairing, effect on electromagnetic properties, 277

Electron probability distribution, 18f

Electronic structure of crystalline solids, 187–235

Electronic transitions, valence band to conduction band, 213f

Electronics, applications of superconductors, 314

Electrons
and holes, 237–250
evidence for existence, 28
in magnetic solids, 31f
in solids, 28–45
localized versus delocalized behavior, 28
probability distribution, 16–17
spin states, 28

Electrorheological (ER) fluids
applications, 41
changes in viscosity due to applied electric field, 42f
mechanism of operation, 40, 41f
smart material, 11, 28

Elements
molar heat capacity relationship, 24
structural properties, 49t

Energy, transformation and conservation, 355

Epitaxial growth, description, 477

Equilibria
basic principles, 237
effects of temperature and pressure, 278–281

Equipartition theorem, 24

Escher print, unit cells, 53, 54

Espoir–Desespoir, sculpture using memory metal, 300f

Extended shared polyhedra, 127–138

Extended solids
construction, 361–368
definition, 50
description, 363
formation, 49–50
stoichiometry, 49

F

F-center
absorption phenomena, 180, 181, 182f
definition, 477
demonstration, 178–179(demo)
description, 176, 178f
effect of vacancy size on absorption energy, 180–181
formation, 177–178, 179f
in salts, 176–183
luminescence, 182–183
spectroscopy, 180–182
thermoluminescence, 182–183(demo)

Face-centered cubic (fcc) packing
description, 477
examples, 56
metals, 98
packing efficiency, 171
projection, 87, 88f
stacking pattern, 105, 107f
unit cell, 56–57
videotape showing viewing perspectives, 58(demo)
void spaces, 171

Faraday, Michael, current induction, 305

Fayalite, solid solution, 62

Feedback controller, in STM, 19

Fermi level
definition, 477
effect of doping, 257f
ionization of acceptors, 254, 255f
relation to pH, 253, 254f

Ferrite
definition, 477
iron allotrope, 170–171

Ferrofluid(s)
alignment with magnetic field, 39f

- applications, 39–40
- commercial supplier, 488
- definition, 477
- demonstration, 37–38(demo)
- hexagonal packing, 99
- preparation, 36, 37*f*
- properties, 36
- supplier, 37
- uses, 10
- Ferrofluid seals, high-speed computer disk drives, 40
- Ferrofluidics bottle cell, 38–39(demo)
- Ferromagnet(s)**
 - Curie temperature, 33*t*
 - response to magnetic field, 31
- Ferromagnetic materials**
 - basis for recording media, 32
 - response to magnetic field, 31
- Ferromagnetism**
 - cooperative behavior, 30
 - definition, 477
 - magnetic garnets, 458
 - temperature dependence, 33
 - versus paramagnetism, 30–32
- Fluorapatite, solid solution, 62
- Fluoride, prevention of tooth cavity, 62
- Fluoride-selective electrode, 270–271
- Fluorite (CaF_2)
 - definition, 477
 - stoichiometry, 367
 - structure, 117, 118*f*, 119
- Fluorite structure
 - compounds exhibiting structure, 145
 - description, 478
- Flux(es)
 - definition, 478
 - in synthesis of solids in liquid media, 338
- Fluxoids, 304
- Forsterite, solid solution, 62
- Forward-biased p–n junction, definition, 261, 262*f*
- Four-probe conductance test circuit, 437*f*
- Fracturing, demonstration, 159(demo)
- Fraunhofer diffraction
 - experiment, 379–380
 - verification, 87
 - versus Bragg diffraction, 80, 81*f*
- Fraunhofer equation, 380*f*, 381
- Free energy, versus temperature and pressure, 319, 320*f*, 321*f*
- Frenkel defect
 - definition, 478
- silver chloride, 175
- Friction, analogy to electrical resistance, 198
- Fullerene-derived materials
 - proposed uses, 10–11
 - superconductors, 312*t*
- Fuller's earth, layered structures, 133

G

- Gallium**
 - dopant, 245
 - similarity to water, 279
- Gallium selenide**, properties, 367
- GaP_xAs_{1-x}**
 - spectra of LEDs, 225*f*
 - tunable unit-cell constants, 218, 219*f*
- Garnet(s)**
 - definition, 478
 - general formula, 458
 - magnetic properties, 455–461
 - solid solutions, 130, 459
- Garnet structure**
 - rare earth iron garnets, 33
 - unit cell, 458, 459*f*
- Gases**, diffusion, 449, 451
- Gel**, definition, 466
- Gelation**, acid- versus base-catalyzed, 468*f*, 469
- Gemstones**, color enhancement, 449
- Gene sequencing**, by STM, 21
- Generators**, principle, 305
- Germanium**, band gap, 213
- Gold**
 - basis of color, 204–205
 - deformability, 157
 - face-centered cubic structure, 56
 - image of surface, 20*f*
 - packing, 98
 - STM-generated image of surface, 9*f*
 - usefulness, 97–98
- Gold–cadmium**, shape-memory alloy, 425
- Grain(s)**
 - definition, 478
 - dislocations, 165
 - effect of mechanical stress, 165
 - in metals, 164
- Grain boundary**, definition, 164, 165(demo), 478
- Gram specific heat**, 353
- Graphite**
 - chemical reactions, 346*f*
 - commercial supplier, 492
 - conversion to diamond, 280

enhancement of electrical conductivity, 193
intercalation, 193–196(demo)
layered structure, 194f
removal of layers, 126(demo)
structure, 123–124
surface for STM, 23
versus diamond, 367

Gray-scale imaging, in STM, 19
Gray tin, conversion to white tin, 280

Group 14 solids
band gap, 211
localized bonding, 214
periodic properties, 212t

H

Hardening of metals, 172(demo), 173(demo)

Harmonic oscillator, frequency variation, 24

Heat, definition, 355

Heat-and-beat methods
schematic representation, 330f
synthesis of solids, 330–334

Heat capacity
equipartition theorem, 24
experiment, 353–359
indirect evidence for atoms, 24–27
monoatomic solids, 24
relation to atomic composition, 353
relationships, 26–27(demo), 27(lab)
temperature dependence, 25f, 356f
See also Molar heat capacity

Henry, Joseph, current induction, 305

Hexagonal close packing (hcp)
definition, 478
elements exhibiting structure, 144
examples, 98, 99
stacking pattern, 103, 104f
versus cubic close-packing, 366

High-temperature superconductor, preparation and demonstration of properties, 429–435

Hole(s)
conductivity, 241(demo)
definition, 220, 238, 478
in ionic solids, 108
mobility, 238, 239f
positively charged nature, 239

Hole-electron recombination, 242, 244

Hole energies
and conductivity, 240(demo)
versus electron energies, 240

Hope–Despair, sculpture using memory metal, 300f

Hydrides, variable stoichiometry, 64t

Hydrodesulfurization (HDS)
catalyst synthesis and recovery cycle, 6, 7f, 8
definition, 6, 478

Hydrogen atom(s)
allowed energies, 246
estimation of dopant ionization energies, 246, 247–250
intercalation into tungsten trioxide, 413–417
role in diamond formation, 341

Hydrolysis, mechanisms, 471–472

Hydrothermal treatment, preparation of zeolites, 337

Hydroxyapatite, bioceramic, 12
solid solution, 62

Hysteresis, definition, 296–297, 478

I

Ice
effect of pressure on melting point, 279(demo)
free energy versus temperature and pressure, 320f

Ice–water mixture, LeChatelier's principle, 278–279

Indirect band gap materials, 219

Indium, sound due to atomic motion, 166

Institute for Chemical Education (ICE)
solid-state model kit, software for visualizing structural features, 55, 81, 139

Insulator(s)
band structure, 210f
carrier concentration, 211
description, 479
diamond structure, 209–214
resistivity, 196
tetrahedral geometry, 206
zinc blende structure, 215–218

Interatomic separation, probing by tunneling current, 18

Intercalation
demonstration, 194–196(demo)
effect on electrical conductivity, 416
enhancement of electrical conductivity, 193
reactions of guest molecules, 345

Interfaces, 9–10

Interference, electromagnetic radiation, 79*f*
 Interstices in close-packed structures, 105(demo)
 Interstitial atom, definition, 63, 479
 Interstitial defects
 definition, 160
 schematic representation, 161*f*
 Interstitial site, definition, 363
 Ion exchange, in solid-state synthesis, 346–347
 Ion mobility, mediation by crystal defects, 176
 Ionic compounds
 as conductors, 176, 177*f*
 defects, 174–176
 study with modeling kit, 123(lab)
 Ionic concentration cells, 269–271
 Ionic conduction, 176, 177*f*, 315–319
 Ionic conductivity, mechanism, 315
 Ionic conductors, synthesis, 271(lab)
 Ionic insulators, 226–228
 Ionic semiconductors, 226–228
 Ionic solids, 24, 108–123, 156, 157*f*
 Ionization, semiconductors, 254–255
 Ionization energies, common donors and acceptors in silicon, 248, 249*f*
 Iron
 body-centered cubic structure, 56
 Curie point, 34–35(demo)
 effect on NiTi memory metal, 297
 phase transformations, 170–171
 phases important in steel, 171*t*
 stress required for deformation, 159
 use in ferrofluids, 36
 -Iron (ferrite), 170–171, 474
 -Iron (austenite), 170–171
 Iron carbide
 metastable phase, 171
 role in steel strength, 171
 Isoelectronic species, definition, 215
 Isomorphous substitution, 132, 479
 Isostructural solids, examples, 127
 Isovalent species, definition 215

J

Jig for training memory metal, 289, 290*f*

K

Kaolin, layered structures, 133
 KBr, X-ray powder diffraction pattern, 389*f*
 KCl
 preparation of solid solutions, 181
 X-ray powder diffraction pattern, 389*f*

Kinetics, and phase transformations, 172
 Kinetics and catalysis, review articles, 500

L

L-shaped molecules, diffraction, 89*f*, 92
 LaCoO₃, preparation, 335
 Lanthanides, review articles, 502
 Lanthanum fluoride (LaF₃), fluoride-selective electrode, 270–271
 Laser(s), commercial supplier, 489, 495
 Laser pointer, commercial supplier, 489
 LaTiO₃, preparation, 338
 Law of Dulong and Petit, 479
 Layered materials, 133, 134*f*, 390, 346*f*
 Layering, effect on crystal growth, 371
 Lead
 deformability, 157
 molar heat capacity versus temperature, 25*f*
 LeChatelier's principle, 244, 278–281, 291, 319
 LED, *See* Light-emitting diode
Les Trois Mains, sculpture using memory metal, 300
 Levitation
 mirror attachment for experiment, 323*f*
 of a magnet, 307*f*
 stable versus unstable, 307
 superconducting pellet, 308(demo)
 Life cycle of a material, 5–8
 Light absorption, 419–422
 Light-emitting diode (LED)
 biasing and dissection, 263(demo)
 chemical composition versus wavelength of emitted light, 225(lab)
 commercial suppliers, 492, 496
 definition, 479
 effect of temperature on emission, 223–224(demo)
 emission spectrum, 221*f*
 p–n junction, 262
 periodic properties, 401–412
 principle, 261, 262*f*
 properties, 403*t*
 schematic, 263*f*
 spectra, 225*f*
 use of tunable band gaps, 219–220
 uses, 11
 view through diffraction grating, 409
 Light transmission by optical fibers, 343
 Linear silicates, 130, 131*f*
 Linear superposition, principle, 79
 Liquid(s), diffusion experiment, 450–453

Liquid oxygen, paramagnetism, 28
Lithium, uses in batteries, 64
Localized bonding
 correlation with properties, 206
 doping, 245–246, 247*f*
 electron–hole recombination, 242
 Group 14 solids, 214
 semiconductors, 238*f*
Loudspeaker, principle, 40
Luminescence
 color control, 261
 F-center, 182–183

M

MacMolecule, commercial supplier, 491
Mag-lev train, 314
Magic sand, description, 13
Magnesium
 band structure, 189–190
 packing, 98
Magnesium oxide, molar heat capacity, 25
Magnetic domains, use in information technologies, 12
Magnetic field, effect of Cooper pairs, 310
Magnetic field induction, 306*f*
Magnetic field lines, hexagonal packing, 99
Magnetic fluid, benefits, 36
Magnetic garnets, **455–461**
Magnetic moments, 30*t*
Magnetic properties
 determination, **461**
 effect of temperature, **460**
 technological applications, 32
Magnetic resonance imaging (MRI),
 ferrofluids as contrast agents, 40
Magnetic spiking phenomenon, 39*f*
Magnetite, use in ferrofluids, 36
Magnets, commercial supplier, 488
Majority carriers, 252
Manganese, dopant in silicon, 252
Manganese oxides
 magnetic moments, 30*t*
 response to magnetic field, 29(demo)
Manganese zinc ferrite, use in ferrofluids, 36
Martensite
 definition, 281, 479
 formation, 172
 NiTi phase, **425**
 transformation to austenite, 296*f*
 variants, 285, 286*f*, 287, 288*f*
Martensitic transformations
 definition, 277

NiTi memory metal, 281
Materials chemistry, 1, 479
Materials-dependent technologies, 12
Materials life cycle, 1–8, 479
Mechanical energy, effects, 278
Mechanical friction, analogy to electrical resistance, 198
Mechanical stress, effects, 156, 165
Meissner, W., Meissner effect, 301
Meissner effect
 definition, 301, **431–432**, 479
 demonstration, 308(demo), **436–437**
 illustration, 304*f*
 levitation, 305
Melts, in synthesis of solids in liquid media, 338
Memory metals
 applications, 298
 commercial supplier, 494
 CsCl structure, 113
 dependence of transition temperature on composition, 297
Metal(s)
 band structure, 188–205, 210*f*
 basis of color, 204–205
 charge carriers, 192
 conversion of bcc to fcc packing, 280
 defects, 156–174
 deformation, 156, 159–160
 description, 480
 ductility, 156
 effect of temperature on resistivity, 210, **404**
 electrical conductivity, 191–199
 electrical resistance, 196–199
 electronic transitions, 204
 Fermi level, 254*f*
 hardening, 170–174
 hydrides, 64
 laboratory activity, 123(lab)
 optical properties, 204–205
 packing, 98, 106*t*, **363**
 polycrystallinity, 164
 processing, 156
 reflectivity, 204, 205*f*
 resistivity, 196–199, 303, 304*f*
 strengthening, 167, 170
 superconductivity, 301, 302*f*
 thermal conductivity, 200–203
 three-dimensional structure, **363**
 usefulness, 97
Metal alloys, disordered solid solutions, 61
Metal atoms, modeling, 98, 100
Metal cluster, definition, 337

Metal crystal
 effect of mechanical stress, 156
 molar heat capacity, 24

Metal defects, dimensions, 156

Metallic bonding, 98, 191

Metallic elements, packing arrangements, 56, 57*f*

Metallic reflectivity, *See* Reflectivity

Metalloids, 49

Metastable phase, iron carbide, 171

Methane, molecular orbital treatment, 206, 207*f*

Metrex, metals recycling plant, 8

Mho, definition, 480

Mica, structure, 134*f*

Micromotors, 9

Microstructure, definition, 156, 480

Mineral samples, commercial supplier, 495

Minority carriers, 252

Mobile electron, as basic species, 251

Mobile hole, as acidic species, 251

Modeling crystal structures, software, 490

Modeling kits, commercial supplier, 490

Modeling metal atoms, 98

Modified chemical vapor deposition, synthesis of optical fibers, 343–344

Molar heat capacity
 and specific heat, 26–27(demo)
 selected solids at 298 K, 26*t*
 temperature dependence, 25
 versus temperature, 25*f*
See also Heat capacity

Molar specific heat, 353

Molecular beam epitaxy (MBE)
 definition, 480
 in solid-state synthesis, 342
 preparation of p–n junction, 260

Molecular geometries, determination from optical transform slides, 90*f*, 91*f*, 92

Molecular orbital theory
 band formation, 188–191
 diamond, 207–209
 methane, 206, 207*f*

Molecular solids, 59, 126

Molybdenite (molybdenum disulfide)
 catalyst in HDS process, 6
 commercial supplier, 491
 definition, 480
 production, 6
 removal of layers, 124
 structure, 124, 125*f*
 surface for STM, 23
 X-ray powder diffraction pattern, 387*f*

Molybdenum
 body-centered cubic structure, 56
 coordination number, 124

Molybdenum sulfide, study of properties, 367

Mondo-tronics, commercial supplier, 494

Monoatomic gas
 average kinetic energy, 24
 molar heat capacity, 24

Monoatomic solids, molar heat capacity, 25

Monoclinic structure, array of atoms, 88*f*, 92

MoS₂, *See* Molybdenite

Müller, Alex K., 302, 432

Multimeters, commercial supplier, 493

Multimode optical fibers, 342

Muscovite
 structure, 133
 X-ray powder diffraction pattern, 387*f*

N

n-type semiconductors
 alkaline solution analogy, 252, 258
 definition, 252, 480
 Fermi level, 254*f*

Nanobattery, preparation, 22, 23*f*

Nanometer-scale galvanic cell, STM images, 23*f*

Nanostructure, definition, 480

Nanostructured materials, definition, 155

NASA Research Center, ferrofluids, 36

Nernst equation, 258, 446

Net dipole moment, mechanical induction, 43, 44*f*

Neutralization reactions, semiconductors, 255–257

New materials, 10–11

NiAl
 crystal structure, 331
 preparation, 331
 synthesis, 332(demo), 333*f*

NiAs, structure, 114, 115*f*

NiAs structure, compounds exhibiting structure, 146

Nickel
 crystal structure, 331
 Curie point, 34(demo)
 deformability, 157
 effect of concentration on temperature of phase transition of NiTi, 298*f*
 face-centered cubic structure, 56

Nickel–titanium (NiTi) memory metal,
See NiTi memory metal

Nickel-Titanium Naval Ordnance Laboratory, 281

Niobium alloys, use in superconductor technology, 302

NiTe, preparation, 337

NiTi memory metal

- acoustic properties, 294, 295(demo)
- annealing into new shape, 289(demo)
- changing memorized shape, 289–290
- changing phase with pressure, 290
- commercial supplier, 496
- counterintuitive property, 282
- determination of physical properties, 427
- deviations in chemical composition, 297
- effect of substitution of Ni, 297
- experiment, 423–428
- hysteresis, 296–297
- in automatic transmissions, 298–299*f*
- in sculptures, 300
- martensitic transformation, 277, 281
- mechanical properties, 292–293(demo)
- mechanism for accommodating stress, 287
- preparation, 297
- properties, 290
- shape-memory property, 281, 282–283(demo)
- smart material, 11
- stoichiometry, 298*f*
- superelasticity, 290, 293–294(demo)
- tension and compression, 291*f*
- transformation to martensite, 290
- transition temperature study, 424*f*
- uses, 298–301

See also Nitinol

Nitinol

- definition, 480
- effect of Ni concentration on transition temperature, 426*f*
- experiment, 423–428
- high-temperature phase, 426*f*
- memory metal, 281
- properties, 425

See also NiTi memory metal

Nonaqueous solvents, in synthesis of solids, 337–338

Nondirectional bonding, metals, 189

Nonmetals and semiconductors, review articles, 502

Nonstoichiometric compounds

- Berthollide compounds, 474
- definition, 480

variable stoichiometry, 63

Nucleation sites, definition, 372

O

Ochsenfeld, R., Meissner effect, 301

Octahedra, 110–111(demo), 127, 142, 490

Octahedral crystals, 110(demo)

Octahedral holes, 113–117, 122*f*, 480

Oersted, H. C., magnetic field induction, 305, 306*f*

Ohm's law, 303

Oleic acid, use in ferrofluids, 36, 37*f*

Olivine, solid solutions, 62, 130

Onnes, H. K., discovery of superconductivity, 301, 431

Optical diffraction, experiments, 379–384

Optical fibers, 11, 342–345, 480, 495

Optical properties, metals, 204–205

Optical transform(s), 78*f*, 81–92

Optical transform experiment, 78*f*, 79

Optical transform kit, commercial supplier, 489

Optical transform slides, 85–86(demo), 90–92, 495

Order-disorder phase change, 277, 317(demo), 481

Orthodontic braces, use of memory metals, 300

Outside vapor deposition, synthesis of optical fibers, 344–345

Oxidative intercalation of graphite, 194–196(demo)

Oxide-derived superconductors, 312*t*

Oxides with variable stoichiometry, 64*t*

Oxygen sensors, 269–270

Oxygen vacancies, effect on 1-2-3 superconductor, 311–312

P

p-n junction

- band-energy diagram, 260*f*, 265
- biasing, 261–269
- definition, 481
- electronic properties, 260
- forward and reverse bias, 261, 262*f*
- LED, 262
- Nernst equation, 258
- operation, 260
- photovoltaic cells, 265*f*
- preparation, 258, 260
- preparation of diode laser, 264
- schematic, 259*f*

p-type semiconductors

- acid solution analogy, 252, 258

- definition, 252, 481
- Fermi level, 254*f*
- Packing, effect on slip plane motion, 156, 158*f*
- Packing arrangements
 - coordination number and geometry, 363, 364*f*
 - metals, 56, 57*f*, 363
- Packing efficiency
 - body-centered cubic structure, 171
 - face-centered cubic structure, 171
 - for various packing types, 106*t*
 - formula, 405
 - hexagonal close packing, 103
 - simple cubic packing, 102
 - three dimensions, 102
 - two dimensions, 99
 - unit cell, 366
- Palladium
 - effect on NiTi memory metal, 297
 - hydrides, 64
 - in catalytic converter, 12
- Parallelepiped, model for extended structure, 363
- Parallelogram, unit cell, 365*f*
- Paramagnet, response to magnetic field, 30, 31*f*
- Paramagnetic solid, response to magnetic field, 30, 31*f*
- Paramagnetism, 28–32, 481
- Pauli principle, 191, 208
- Performance, definition, 2
- Periodic properties
 - LEDs, 406–412
 - review articles, 499
- Periodic table, main regions, 49
- Permanent magnet, formation, 32
- Perovskite(s)
 - alteration to superconducting material, 128, 129*f*, 130*f*
 - atomic ratios, 311
 - definition, 481
 - piezoelectric material, 12
 - stoichiometry, 58
 - structure, 127, 128*f*, 311, 434–435
 - 1-2-3 superconductor, 311
 - unit cell, 58
- Perovskite structure, compounds exhibiting structure, 146
- pH
 - and thermodynamic electrochemical potential, 253
 - relation to Fermi level, 253, 254*f*
- pH sensor, miniaturization, 9
- pH value, use in classification of solutions, 253
- Phase changes, 277
- Phase transformations, iron, 170–171, 172, 290
- Phonons, 212, 219, 220, 481
- Phosphorus, as dopant in silicon, 245, 251
- Photoconductivity of cadmium sulfide, 214(demo)
- Photocurrent, versus number of cells and concentration, 268*f*
- Photons, counting with solar cell, 266–267(demo)
- Photovoltaic (solar) cells
 - operation, 260
 - p–n junction, 265*f*
- Piano wire
 - annealing, hardening, and tempering, 173–174
 - commercial supplier, 491
 - type of steel, 171
- Piezoelectric crystals, 42–46
- Piezoelectric effect, 45(demo)
- Piezoelectric lighter, commercial supplier, 488
- Piezoelectric materials
 - definition, 20
 - properties, 12, 43
 - use for STM tip positioning, 20
- Piezoelectric scanner, in STM, 20
- Piezoelectric tip, enlarged view, 21*f*
- Piezoelectric tube, 21*f*
- Piezoelectricity, definition, 481
- Pigments, tungsten trioxide, 415
- Pinning, definition, 481
- Pixel, definition, 481
- Plastic deformation
 - and dislocation, 162–164
 - definition, 156, 481
 - demonstration, 165(demo)
 - mechanism, 158*f*, 159
 - movement of dislocations, 174
- Platinum
 - effect on NiTi memory metal, 297
 - in catalytic converter, 12
 - use in STM tips, 19
- Platinum–iridium alloys, use in STM tips, 19
- Point defects, 160, 165(demo), 481
- Poisson ratio, definition, 3, 482
- Polonium, unit cell, 55
- Polyatomic solids, molar heat capacity, 25
- Polycrystalline material, grains, 164*f*
- Polyester, commercial supplier, 488

Polyether polyurethane foam, commercial supplier, 488

Poly[ethylene glycol bis(allyl carbonate)], CR-39, use in radon testing, 397

Polymers

- defects to detect radon gas, 164(lab)
- detectors for alpha particles, 12
- review articles, 503

Polymorph, definition, 121, 482

Polyurethane, 2–3

Polyurethane foam, 2, 3, 5*f*

Potassium bromide

- molar heat capacity, 25
- X-ray powder diffraction pattern, 389*f*

Potassium chloride

- F-center, 176, 178*f*
- X-ray powder diffraction pattern, 389*f*

Potassium fluoride, molar heat capacity, 25

Potassium iodide, molar heat capacity, 25

Pre-assembled models, commercial supplier, 490

Precipitation hardening, definition, 170, 174, 482

Precursor techniques in solid-state synthesis, 334–336

Pressure, effect on equilibrium, 278–281

Pressure-induced phase transformation, 290, 292*f*

Principle of linear superposition, 79

Projector mirror, construction, 322*f*

Pseudoelasticity, definition, 290

Purple plague (AuAl₂)

- fluorite structure, 119
- preparation, 119

Pyroxene, definition, 130, 131*f*, 482

PZT ceramics, piezoelectric material, 12

Q

Quartz, piezoelectric material, 12, 43, 44–45

- Quartz, structure, 137*f*

Quaternary solid solutions, 62

Quenching, definition, 482

R

Radiation, absorption and reflection by metals, 204

Radiochemistry, solid solutions, 62

Radium, removal from uranium ore, 62

Radius ratio, 108–109, 117, 482

Radon

- health problem, 397
- testing, 395–399

Radon-222, description, 397

Radon test disk, commercial supplier, 496

R

Rare earth iron garnets

- preparation and characterization, 33(lab)
- structure, 33

Rayleigh scattering, optical fibers, 343

RbCl, preparation of solid solutions, 181

Re-entrant foam

- definition, 482
- effect of processing, 4(demo)
- from polyurethane, 3
- preparation, 4(demo)

Re-entrant pore, representation, 5*f*

Reactivity, effect of solvents, 336(demo)

Recombination of electron–hole pairs, 242, 244

Recording devices

- principle, 32
- use of ferromagnetic materials, 32

Reflectivity

- as function of wavelength, 205*f*
- demonstration, 205(demo)
- of metals, 204

Refractive index, optical fibers, 342

Relative specific heat, 353, 356

ReO₃ structure, compounds exhibiting structure, 146

Resistance, 303, 482

Resistivity

- definition, 482
- of superconductors, 303, 304*f*
- temperature dependence, 304*f*
- units, 196

Reversed-biased p–n junction, definition, 261, 262*f*

Rhodium, in catalytic converter, 12

Rhombohedral phase, austenite-to-martensite transition, 297

Rock salt model, commercial supplier, 490

Rock salt structure, projection, 88*f*, 92, 483

Rubies, color enhancement, 449

S

Salt(s)

- disordered solid solutions, 61
- F-centers, 176–183
- molar heat capacity, 25

Salt crystals, commercial supplier, 491

Sapphires, color enhancement, 449

Scanning tunneling microscope (STM)

- computer control, 19
- constant-current mode, 19
- description, 483
- direct evidence for atoms, 15–23
- indirect evidence for atoms, 24–27

- instructional use, 15
- instrument setup, 20
- operation in air, 23
- principle, 8
- tip, 19–20
- Scanning tunneling microscopy (STM)
 - applications, 20–22
 - principle, 16–18
- Schottky defect
 - alkali halides, 175
 - definition, 483
- Screw dislocation, 162
- Sculpture, use of NiTi memory metal, 300
- Second-order phase change, definition, 304
- Seeding, effect on crystal growth, **371**
- Semiconductors
 - analogy to aqueous solution chemistry, 269
 - as acid–base system, 251–257
 - autoionization, 241–245
 - autoionization equilibrium constant, 243*t*
 - band structure, 210*f*
 - carrier concentration, 211
 - compensation process, 256, 257*f*
 - conductivity, 237
 - definition, 483
 - delocalized bonding picture, 238*f*
 - diamond structure, 209–214
 - effect of temperature on resistivity, 210–211
 - electrical resistance, **411**
 - extent of ionization, 254–255
 - Fermi level, 253
 - generic absorption spectrum, 212, 213*f*
 - localized bonding picture, 238*f*
 - models, **412**
 - neutralization reactions and buffers, 255–257
 - preparation by CVD methods, 341–342
 - properties, 261(lab), **401–412**
 - resistivity, 196, 197*f*
 - review articles, 502
 - similarities with aqueous solutions, 269*t*
 - tetrahedral geometry, 206
 - tungsten trioxide, **413**
 - zinc blende structure, electrical and optical properties, 215–218
- Shallow dopants, 251
- Shape-memory alloys
 - applications, 298
 - definition, **425**
 - experiment, **423–428**
- Shape-memory cycle, 282–288
- Shape-memory effect, loss, 297
- Shape-memory property, NiTi memory metal, 282–283(demo)
- Shear, definition, 483
- Shearing motion, 285*f*
- Siemen, definition, 483
- Silanols, definition, **466**
- Silica
 - crystalline forms, 136
 - in optical fibers, 342
 - synthesis, 342(lab)
- Silica gel sensors, **463–471**
- Silicates
 - linear and cyclic, 130, 131*f*
 - network, 132
 - polymer, **463**
 - sheets, 132, 133*f*
 - structure, 131*f*
 - substitution of Al for Si, 132–133
 - X-ray powder diffraction pattern, **391*f***
- Silicon
 - autoionization, 241, 243
 - band gap, 212
 - carrier concentration, 211
 - conductivity, 237
 - delocalized bonding picture, 238*f*, 240
 - dielectric constant, 248
 - doping with aluminum, 255
 - doping with phosphorus, 245, 247*f*
 - effect of dopants, 251–252
 - energy levels for isolated impurities, 249*f*
 - localized bonding picture, 238*f*
 - optical properties, 212
 - resistivity, 197
- Silicon–germanium molecular compounds, 59
- Silicon–hydrogen molecular compounds, 59
- Silicon oxide, molar heat capacity, 25
- Silicon tetrafluoride, nonpolar nature, 42
- Siloxane group, **466**
- Silver, face-centered cubic structure, 56
- Silver chloride, Frenkel defect, 175
- Simple cubic cell, definition, 483
- Simple cubic packing
 - array of atoms, 87, 88*f*
 - calcium titanate, 58*f*
 - corner-shared atoms, 55–56(demo)
 - packing efficiency, 102
 - perovskite, 58*f*
 - sketch, 55*f*

structure of anions based on cation position, 121*f*
unit cell and nearest neighbors, 102*f*
versus body-centered cubic packing, 366

Simulated diffraction patterns, 83*f*, 89*f*, 91*f*
Single crystals, slow solvent diffusion, 369, 372

Single mode optical fibers, 342

Sintering, definition 310, 483

Slip plane, 156, 158*f*, 484

Slow solvent diffusion for single-crystal growth, 369–376

Smart materials, 11–13, 40–42, 282, 483

Smoky quartz, origin of color, 176–177

Sodalite unit, shape, 136*f*, 137*f*

Sodium
band structure, 189–190
carrier concentration, 192, 211
conductivity, 192
electrical conductivity, 193
ionic radius, 109

Sodium bromide, molar heat capacity, 25

Sodium chloride
band gap, 227
band-structure diagram, 227*f*
charge compensation, 176
commercial supplier, 491
defects due to substitution, 175–176
mechanism of conduction, 176, 177*f*
molar heat capacity, 25
phase transformation, 280
thermoluminescence, 182–183(demo)
unit cell, 52, 53*f*, 54*f*

Sodium chloride structure, 113–114, 145

Sodium fluoride, molar heat capacity, 25

Sodium hydroxide solution, carrier concentration, 192

Sodium iodide, molar heat capacity, 25

Sodium tungsten bronzes, variation of color with composition, 64–65

Soft chemistry, definition, 345

Sol, definition, 466

Sol-gel
ceramics, 468
formation, 470
preparation of silica gel sensors, 463–471
process, 466

Solar cells, 260, 266–267(demo), 420*f*

Solid(s)
classification, 196, 209–210
cooperative behavior, 30
diffusion, 450, 453

electronic structure, 187–235
gas-phase synthesis, 338
high-temperature synthesis, 333
LeChatelier's principle, 278–281
X-ray analysis, 385–393

Solid compounds, stoichiometry from unit cells, 58

Solid electrolyte, synthesis and phase transition, 439–445

Solid-phase techniques for synthesis, 330–336

Solid phases, metal strengthening, 170

Solid–solid phase transition, shape memory alloy, 425

Solid solution
alum structure, 369–376
definition, 373
hardening, definition, 170, 484
impurities, 174
limited substitution, 62
preparation, 63(lab), 181, 374
radiochemistry, 62
substitutional, 483
unlimited substitution, 62
with zinc blende structure, 218–226

Solid state, LeChatelier's principle, 280

Solid-state concentration cell, 257–269

Solid state model kit, commercial supplier, 489

Solid-state phase changes, 33, 277, 280

Solid-state structure and properties, 361–368

Solid-state structure software, MacMolecule, 140

Solid-state synthesis
examples, 331–334
chemical vapor deposition, 340
chemical vapor methods, 338–345
molecular beam epitaxy (MBE), 342
precursor techniques, 334–336

Solvents
in synthesis of solids in liquid media, 336–338
influence on reactivity, 336(demo)

Soot blank, 345

Sound barrier, atomic motion, 166(demo)

Sound of metals due to atomic motion, 166

Specific heat
and molar heat capacity, 26–27(demo)
definition, 356*f*
formula for calculation, 356–357

Specific heat capacity, definition, 483

Spectroscopy
F-center, 180–182

- indirect evidence for the existence of atoms, 15
- of defects, 176–183
- Sphalerite**
 - definition, 483
 - structure, 119, 120*f*
 - unit cell, 316*f*
 - zinc blende structure, 215
- Spin states of electrons, unpaired versus paired, 28*f*
- Spodumene, linear silicate, 131
- Sputtering, definition, 483
- Square packing**
 - and coordination number, 99, **364*f***
 - packing efficiency, 99
 - sketch, 98*f*
- SQUID** (superconducting quantum interference device), 313, 484
- Steel, formation, 170–171
- STM**, *See* Scanning tunneling microscope and Scanning tunneling microscopy
- Stoichiometry**
 - definition, 49
 - extended structures, 49
 - indirect evidence for the existence of atoms, 15
- Stress**
 - definition, 290
 - metal deformation, 159–160
- Structure**
 - determination with diffraction data, 77–96
 - review articles, 497–499
 - software for visualization, 55
- Structure and composition**, definition, 2
- Substitutional defect** in crystals, 161*f*
- Substitutional solid solutions**, 60, 61*f*, 62–63
- Substitutional stoichiometry**, 59–63, 484
- Sulfides with variable stoichiometry**, 64*t*
- Sulfuric acid**, autoionization, 251
- Superconducting magnets**, 305, 314
- Superconducting motors**, 313
- Superconducting state**, 301, 309
- Superconducting Super Collider (SSC)**, 314
- Superconductivity**
 - ceramics, 302–303
 - discovery, 301, **431**
 - effect of oxygen vacancies, 312
 - mechanism, 309–310
 - Meissner effect, 301
 - metals, 302
 - theory, 309
- Superconductor(s)**
 - applications, 313–315, **432**
 - by alteration of perovskite structure, 129*f*
 - ceramic superconductors, 312*t*
 - commercial supplier, 494
 - loss of electrical resistance, **437**
 - properties, 10, 303–308, 310–312, **436–437**
 - resistivity, 303, 304*f*
 - types, 304
- 1-2-3 Superconductor**
 - discovery, 303
 - effect of oxygen content, 311
 - similarity to perovskites, 311
 - structure, 311–312
 - synthesis and properties, 303(lab)
 - See also* $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$
- Supercooling during solid-state phase changes**, 280–281
- Superelasticity**, definition, 290
- Superheating during solid-state phase changes**, 280–281
- Supersaturation**, 281
- Surfaces**
 - review articles, 503–504
 - study by STM, 20–21
- Surfactant**, definition, 484
- Synthesis and processing**, definition, 2
- Synthesis of materials**, 329–352
- Synthetic reactions in liquids**, 336–338

T

- Talc**, structure, 132, 134*f*
- Teaching scanning tunneling microscope**, 488
- Temperature**
 - effect of autoionization equilibrium constant, 244
 - effect on band gap, 224
 - effect on carrier concentration, 244
 - effect on compensation temperature, **460**
 - effect on Cooper pairs, 310
 - effect on electrical conductivity, 196
 - effect on emission of LEDs, 223–224(demo)
 - effect on equilibrium, 278–281
 - effect on magnetic properties, **460**
 - effect on molar heat capacity, 25
 - effect on resistivity, 196, 198, 210–211
- Tempering**, 172(demo), 173(demo)
- Tensile stress**, 291
- Tension**, 291*f*
- Ternary solid solutions**, 62
- Tesla coil**, use in F-center production, 178, 179*f*
- Tetraethyl silicate**

acid- versus base-catalyzed polymerization, **464–465**
sol-gel process, **466–467**

Tetrahedra, 110–111(demo), 130, 142, 490

Tetrahedral crystals, 110(demo)

Tetrahedral holes, 117–121, 122f, **484**

Tetrahedral molecules, bonding and geometry, 206–209

Tetrahedral solids, band formation, 206–209

Tetraiodomethane, thermal instability, 109

The Three Hands, sculpture using memory metal, 300

Theory of superconductivity, 309

Thermal conduction, definition, 200

Thermal conductivity
ceramic materials, 212
classroom demonstration, 200–201(demo), 202f(demo)
definition, 484
diamond, 212
metals, 200–203
values, 203

Thermal energy, **355**

Thermal spray coating, 12, **484**

Thermochromicity, Cu_2HgI_4 , **441**

Thermodynamic electrochemical potential and pH, 253

Thermodynamics
indirect evidence for the existence of atoms, 15
review articles, 499–500

Thermoluminescence
definition, 182, **484**
from F-centers, 182–183(demo)

Thin films
applications, 12
preparation, 340
role in control of interfaces, 10

Time-division multiplexing, 345

Tin
solvent for synthesis, 338
sound due to atomic motion, 166

-Tin
band gap, 213
phase transformation, 280

-Tin, phase transformation, 280

Tin disease, 280

Titanium, packing, 98

Tooth enamel, 62

Total materials cycle, 5, **6f**

Transition metal(s), review articles, 502

Transition metal hydrides, variable stoichiometry, 64

Transition metal oxides, variable stoichiometry, 63

Translation of unit cell, 50, **51f**

Transmittance, definition, **419**

Tridymite, 136

Tunability of physical properties, importance in semiconductor industry, 59

Tunable band gaps, 218–226

Tungsten
body-centered cubic structure, 56
resistivity, 196
use in STM tips, 19

Tungsten bronze, structure, **415**

Tungsten trioxide
color variation with composition, **415**, **416f**
hydrogen insertion, **413–417**
structure, **415f**

Tunneling
definition, 18, 485
quantum mechanical phenomenon, 16

Tunneling current
as a function of horizontal probe tip position, 17f
detection, 20
probe of interatomic separation, 18

Two-dimensional packing, 98–102

Type I superconductors, 304, 307

Type II superconductors, 304, 307

U

Undoped semiconductors, Fermi level, **254f**

Unit cell(s)
basis of stoichiometry, 50–59
body-centered cubic structure, 56
commercial supplier, 490
contents, **363**, **364f**
definition, 50, 485
determination by X-ray diffraction, **390–391**
face-centered cubic structure, 56–57
metallic elements, 56
number of atoms per cell, 52
packing efficiency, 99, **366**
shapes, 52, **53f**
simple cubic packing, 55, **102f**
stoichiometry of solid compounds, 58
three dimensions, 50, 55
translation, 50
two dimensions, 50, **51f**, **365**

$\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$, **432**, **433f**

Unit cell parameter, variation with composition for garnets, **460**
 Unpaired electrons, magnetic effects, 28
 Uranium ore, removal of radium, 62

V

Vacancy
 definition, 485
 demonstration, 165(demo)
 schematic representation, 161*f*
 Vacuum evaporation equipment for thin film deposition, 340*f*
 Valence band
 definition, 485
 formation in diamond, 207, 208*f*, 209*f*
 Van der Waals forces, definition, 485
 Vanadium, body-centered cubic structure, 56
 Variable stoichiometry, 63–65, 485
 Variant, definition, 485
 Vegard's law, 218
 Vermiculite
 layered structures, 133
 X-ray powder diffraction pattern, **387f**
 von Laue, Maxwell, 78
 Vortices, 304

W

Water
 autoionization, 241–243
 carrier concentration, 192
 cooling curves, 201(lab)
 free energy versus temperature and pressure, 320*f*
 similarity to gallium, 279
 specific heat, **359**
 Weak acids, deep donor analogy, 252
 Weak bases, deep acceptor analogy, 252
 White tin, 280
 Work-hardened metal, density of dislocations, 167
 Work hardening
 demonstration, 169(demo)
 description, 167
 model, 167, 168*f*
 Wu, M. K., Jr., superconducting oxides, 303
 Wurtzite
 compounds exhibiting structure, 146
 definition, 485
 structure, 119, 120*f*

X

X-ray, definition, **390**
 X-ray analysis of solid, **385–393**

X-ray crystallography, use in structure determination, **390**

X-ray diffraction
 layered materials, 133(lab)
 solids, **372**
 use to probe crystalline structure, **390**
 versus optical transform, 78*f*
 with optical transform slide, 87(lab)

X-ray powder diffraction pattern

biotite, **388f**
 chlorite, **391f**
 KBr, **389f**
 KCl, **389f**
 layered silicate, **391f**
 MoS₂, **388f**
 muscovite, **387f**
 vermiculite, **387f**

X-ray powder diffraction study of magnetic garnets, **457**

X-ray powder diffractometer, schematic diagram, **392f**

X-ray source, copper, **392**

Xenon atoms, positioning by STM, 22

Xerogels, **465, 467f**

Y

YBa₂Cu₃O₇, formation by alteration of perovskite structure, 129*f*
 YBa₂Cu₃O_{7-x}
 discovery of superconductivity, 303
 electrical resistance, **431f**
 oxidation states, 310
 preparation, 333–334, **432, 433f**
 properties, **429–438**
 representation as fused octahedra, 130*f*
 structure, **435–436**
 synthesis, 310
 unit cell, **432, 433f**
See also 1-2-3 Superconductor

Yttrium iron garnet

magnetic properties, 335(lab)
 preparation, 334–335, 338

Z

Zeolite(s)
 definition, 485
 ion exchange, 346
 preparation, 337
 structure, 135*f*, 136*f*, 137*f*
 uses, 135

Zinc

packing, 98
 sound due to atomic motion, 166

Zinc aluminum spinel, preparation, 335

Zinc blende
compounds exhibiting structure, 146
definition, 485
insulators and semiconductors, 215–218
projection, 88*f*, 92
solid solutions, 62, 218–226
stoichiometry, **367**
structure, 119, 120*f*, **407**

Zinc sulfide, preparation by chemical vapor transport, 339

Zirconium phosphate layered solid, formation, 347*f*

Zone refining, 348, 485

ZrO₂
ionic conductor, 269
oxygen sensor, 270*f*

Project management and copy editing: Janet S. Dodd

Indexing: Maureen R. Rouhi

Production: Cathy Buzzell-Martin

Acquisition: Cheryl Shanks

Cover Design: Ellen Cornett